

沿岸定置観測(茂浦)

永峰 文洋・木村 幸子

昭和52年1月

日	項	水 温 (°C)	比 重 (σ_{15})	気 温 (°C)	風		天 気
					向	力	
1		欠	欠	欠	欠	欠	欠
2		欠	欠	欠	欠	欠	欠
3		欠	欠	欠	欠	欠	欠
4		4.1	24.31	3.1	N	1	☉
5		4.9	24.36	-2.8	W	3	☉
半 旬 平 均		4.5	24.34	0.2			
6		4.4	24.52	-6.0	NW	2	☉
7		4.5	24.05	0.1	NE	2	○
8		3.9	24.33	-3.3	NW	2	⊗
9		欠	欠	欠	欠	欠	欠
10		4.5	24.46	1.5	E	1	☉
半 旬 平 均		4.3	24.34	-1.9			
旬 平 均		4.4	24.34	-1.2			
11		4.2	24.37	-2.8	N	2	⊗
12		5.0	24.46	-3.1	E	1	⊕
13		4.4	24.75	-4.1	NW	2	⊕
14		4.2	24.52	-3.9	NW	3	☉
15		欠	欠	欠	欠	欠	欠
半 旬 平 均		4.5	24.53	-3.5			
16		欠	欠	欠	欠	欠	欠
17		3.9	24.12	-2.4	SW	4	⊗
18		3.9	24.50	-5.1	WNW	1	⊗
19		3.1	23.99	-3.8	NW	2	⊗
20		3.5	24.58	-4.2	N	2	☉
半 旬 平 均		3.6	24.30	-3.9			
旬 平 均		4.0	24.41	-3.7			
21		3.3	24.19	-3.2	W	3	☉
22		4.1	23.92	-4.1	N	3	⊗
23		欠	欠	欠	欠	欠	欠
24		4.2	24.40	-3.8	W	4	⊗
25		3.7	24.21	-1.3	W	3	☉
半 旬 平 均		3.8	24.18	-3.1			
26		4.4	24.39	-1.7	N	2	☉
27		4.1	24.71	-1.7	SW	2	⊗
28		4.5	24.35	-2.7	SW	3	⊕
29		4.6	24.36	-3.4	E	1	○
30		欠	欠	欠	欠	欠	欠
31		4.0	24.86	-7.2	NW	3	⊗
半 旬 平 均		4.3	24.53	-3.3			
旬 平 均		4.1	24.38	-3.2			
月 平 均		4.2	24.38	-2.9			

昭和52年2月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		2.3	24.23	-6.3	SW	5	⊗
2		2.4	24.52	-6.6	NW	2	⊗
3		2.5	24.46	-0.1	NW	2	⊖
4		3.0	23.89	-2.0	W	4	⊗
5		2.1	24.46	-1.3	W	2	⊖
半 旬 平 均		2.5	24.31	-3.3			
6		欠	欠	欠	欠	欠	欠
7		3.4	24.58	-4.9	NW	2	⊗
8		2.6	24.63	-4.2	W	3	⊗
9		1.9	24.74	-3.4	W	2	⊗
10		2.8	24.57	-0.5	E	2	⊙
半 旬 平 均		2.7	24.63	-3.3			
旬 平 均		2.6	24.45	-3.3			
11		欠	欠	欠	欠	欠	欠
12		2.9	24.45	-3.7	W	2	⊗
13		欠	欠	欠	欠	欠	欠
14		4.1	24.43	-1.0	E	1	⊙
15		4.0	25.01	-1.1	W	1	⊖
半 旬 平 均		3.7	24.63	-1.9			
16		4.2	24.82	-1.7	E	1	⊗
17		3.8	24.40	-2.1	W	1	⊙
18		3.6	24.88	-0.7	NE	2	⊙
19		3.4	24.59	0.2	W	3	⊙
20		欠	欠	欠	欠	欠	欠
半 旬 平 均		3.8	24.67	-1.1			
旬 平 均		3.7	24.65	-1.4			
21		4.1	24.06	-0.9	W	2	⊗
22		3.4	24.47	-6.0	NE	2	⊙
23		2.6	24.44	-2.5	NE	2	⊙
24		2.7	24.58	-1.0	W	3	⊙
25		3.7	24.32	8.6	W	4	⊖
半 旬 平 均		3.3	24.37	-0.4			
26		4.1	23.40	3.6	W	1	●
27		欠	欠	欠	欠	欠	欠
28		3.4	22.88	2.1	-	-	○
半 旬 平 均		3.8	23.14	2.9			
旬 平 均		3.4	24.02	0.6			
月 平 均		3.2	24.38	-1.5			

昭和52年3月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		4.4	23.80	4.2	N	2	☉
2		4.3	24.35	0.7	SE	2	☉
3		3.6	24.29	-2.6	SSE	4	⊗
4		3.2	23.90	-2.8	-	-	⊕
5		4.2	24.01	-3.6	SW	3	☉
半 旬 平 均		3.9	24.07	-0.8			
6		欠	欠	欠	欠	欠	欠
7		2.7	23.89	0.6	-	-	○
8		4.1	23.78	3.6	-	-	⊕
9		5.6	23.74	7.8	SW	2	●
10		4.3	23.17	-1.8	NW	6	⊗
半 旬 平 均		4.2	23.65	2.6			
旬 平 均		4.0	23.88	0.7			
11		4.0	23.46	1.3	E	4	☉
12		3.9	23.76	2.2	W	4	⊕
13		欠	欠	欠	欠	欠	欠
14		4.5	22.68	8.7	-	-	○
15		5.3	23.89	6.7	W	3	☉
半 旬 平 均		4.4	23.45	4.7			
16		5.4	23.59	5.7	W	4	☉
17		5.5	22.44	6.6	-	-	⊕
18		6.1	22.87	6.1	SE	3	⊕
19		5.6	24.36	4.4	E	5	☉
20		欠	欠	欠	欠	欠	欠
半 旬 平 均		5.7	23.32	5.6			
旬 平 均		5.0	23.38	5.2			
21		欠	欠	欠	欠	欠	欠
22		5.0	22.19	2.2	E	1	☉
23		5.6	24.27	4.6	E	2	☉
24		6.7	23.91	11.2	W	3	●
25		5.3	22.87	1.2	W	2	⊗
半 旬 平 均		5.7	23.31	4.8			
26		5.2	23.20	3.9	SW	4	⊕
27		欠	欠	欠	欠	欠	欠
28		5.5	24.36	3.6	E	2	☉
29		6.0	24.49	3.5	W	2	⊗
30		5.7	24.12	8.6	SE	1	⊕
31		5.9	23.35	5.8	E	4	●
半 旬 平 均		5.7	23.90	5.1			
旬 平 均		5.7	23.64	5.0			
月 平 均		4.9	23.64	3.5			

昭和52年4月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		5.8	24.69	4.7	W	1	◎
2		5.7	22.93	4.4	W	5	①
3		欠	欠	欠	欠	欠	欠
4		5.1	23.65	3.9	W	4	⊗
5		5.1	23.12	6.4	W	4	○
半 旬 平 均		5.4	23.60	4.9			
6		5.7	23.27	5.8	S	1	◎
7		5.7	24.49	4.2	E	5	◎
8		5.6	24.67	4.2	E	2	◎
9		5.9	24.79	4.2	N	4	◎
10		欠	欠	欠	欠	欠	欠
半 旬 平 均		5.7	24.31	4.6			
旬 平 均		5.6	23.95	4.7			
11		6.7	23.30	7.5	W	4	①
12		6.9	23.25	10.8	—	—	◎
13		7.6	22.97	13.2	E	2	○
14		7.1	24.18	7.1	—	—	◎
15		7.9	20.23	9.3	—	—	◎
半 旬 平 均		7.2	22.79	9.6			
16		7.6	23.93	11.9	—	—	●
17		欠	欠	欠	欠	欠	欠
18		8.7	21.49	10.4	W	2	●
19		7.8	21.66	7.0	W	5	①
20		7.7	22.43	9.1	W	7	◎
半 旬 平 均		8.0	22.38	9.6			
旬 平 均		7.6	22.60	9.6			
21		7.4	23.17	5.8	W	3	①
22		7.2	23.00	7.4	SW	2	○
23		7.5	24.02	11.2	SW	3	◎
24		欠	欠	欠	欠	欠	欠
25		7.2	24.03	6.5	E	2	◎
半 旬 平 均		7.3	23.56	7.7			
26		7.8	24.71	7.4	W	4	◎
27		8.1	23.32	9.9	W	2	○
28		8.1	23.58	7.6	E	7	●
29		欠	欠	欠	欠	欠	欠
30		8.2	23.82	11.1	NW	4	◎
半 旬 平 均		8.1	23.86	9.0			
旬 平 均		7.7	23.71	8.4			
月 平 均		7.0	23.39	7.6			

昭和52年5月

日	項 水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
				向	力	
1	欠	欠	欠	欠	欠	欠
2	8.8	23.27	10.6	SE	2	●
3	欠	欠	欠	欠	欠	欠
4	8.5	23.81	7.4	NW	3	○
5	欠	欠	欠	欠	欠	欠
半 旬 平 均	8.7	23.54	9.0			
6	10.3	20.41	10.4	W	2	●
7	9.8	22.75	12.4	NE	3	◎
8	欠	欠	欠	欠	欠	欠
9	10.2	23.57	12.0	SW	1	⊙
10	10.7	23.67	16.0	—	—	○
半 旬 平 均	10.3	22.60	12.7			
旬 平 均	9.7	22.91	11.5			
11	11.2	24.01	20.4	W	3	⊙
12	11.5	24.35	14.5	NW	2	○
13	12.6	24.19	18.9	—	—	○
14	12.9	21.25	15.9	—	—	○
15	欠	欠	欠	欠	欠	欠
半 旬 平 均	12.1	23.45	17.4			
16	12.9	20.82	9.0	—	—	●
17	11.2	23.46	10.0	W	2	◎
18	10.6	21.47	7.8	W	4	●
19	10.4	24.03	8.4	NW	2	●
20	10.3	22.25	9.7	W	3	◎
半 旬 平 均	11.1	22.41	9.0			
旬 平 均	11.5	22.87	12.7			
21	10.7	22.74	13.2	E	1	○
22	欠	欠	欠	欠	欠	欠
23	11.7	23.51	14.4	E	2	⊙
24	10.7	24.53	13.1	E	3	◎
25	11.5	24.04	12.6	E	2	◎
半 旬 平 均	11.2	23.71	13.3			
26	11.7	24.27	13.6	—	—	◎
27	11.7	21.39	13.2	—	—	◎
28	14.0	22.60	13.3	W	3	◎
29	欠	欠	欠	欠	欠	欠
30	12.1	24.33	12.2	SE	2	⊙
31	12.1	24.60	14.1	E	3	⊙
半 旬 平 均	12.3	23.44	13.3			
旬 平 均	11.8	23.56	13.3			
月 平 均	11.2	23.14	12.6			

昭和52年6月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		13.2	23.45	14.6	—	—	◎
2		14.0	23.61	19.6	—	—	◎
3		13.7	24.06	18.0	W	4	①
4		14.4	23.80	19.3	W	2	①
5		欠	欠	欠	欠	欠	欠
半 旬 平 均		13.8	23.73	17.9			
6		16.5	23.38	18.8	—	—	①
7		16.4	23.34	18.2	W	1	①
8		16.8	23.56	19.8	—	—	◎
9		17.5	21.94	20.7	—	—	①
10		17.4	22.42	20.4	SE	1	◎
半 旬 平 均		16.9	22.93	19.6			
旬 平 均		15.5	23.28	18.8			
11		14.7	24.26	13.9	E	3	◎
12		欠	欠	欠	欠	欠	欠
13		14.8	24.22	14.4	W	1	◎
14		14.3	24.04	11.4	W	4	◎
15		14.1	23.69	11.1	W	3	●
半 旬 平 均		14.5	24.05	12.7			
16		14.5	23.11	12.7	—	—	◎
17		13.8	24.20	14.6	SE	4	◎
18		12.4	24.75	11.9	E	3	◎
19		欠	欠	欠	欠	欠	欠
20		12.2	25.03	14.0	E	3	①
半 旬 平 均		13.2	24.27	13.3			
旬 平 均		13.9	24.16	13.0			
21		13.4	24.43	13.7	E	4	①
22		13.7	24.48	13.9	NE	2	○
23		14.0	24.67	16.4	E	2	○
24		14.9	24.75	17.9	E	1	◎
25		16.4	24.26	19.9	E	2	①
半 旬 平 均		14.5	24.52	16.4			
26		欠	欠	欠	—	—	○
27		16.7	24.34	18.9	—	—	①
28		17.8	23.92	16.8	—	—	①
29		15.9	24.50	19.8	E	2	①
30		17.8	24.19	17.1	W	1	◎
半 旬 平 均		17.1	24.24	18.2			
旬 平 均		15.6	24.39	17.2			
月 平 均		15.1	23.94	16.5			

昭和52年7月

日	項 水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
				向	力	
1	18.4	23.79	22.0	NW	3	☉
2	15.6	24.52	18.2	W	1	●
3	欠	欠	欠	欠	欠	欠
4	15.9	24.32	16.7	E	1	☉
5	16.2	24.60	18.6	—	—	⊕
半 旬 平 均	16.5	24.31	18.9			
6	16.6	24.36	17.7	E	2	☉
7	16.5	24.64	17.6	E	3	☉
8	16.2	24.70	17.9	E	2	○
9	16.2	25.33	19.9	NE	1	⊕
10	欠	欠	欠	欠	欠	欠
半 旬 平 均	16.4	24.76	18.3			
旬 平 均	16.5	24.53	18.6			
11	18.4	24.35	21.8	—	—	⊕
12	18.7	24.06	25.3	—	—	○
13	19.0	23.08	19.7	E	2	●
14	18.9	24.03	20.8	E	3	⊕
15	19.4	23.50	21.0	E	2	⊕
半 旬 平 均	18.9	23.80	21.7			
16	22.1	23.73	22.1	—	—	⊕
17	欠	欠	欠	欠	欠	欠
18	17.1	24.83	20.6	—	—	☉
19	19.2	25.14	20.3	—	—	☉
20	20.8	23.86	21.5	E	1	⊕
半 旬 平 均	19.8	24.39	21.1			
旬 平 均	19.8	24.06	21.5			
21	19.8	24.77	21.6	E	1	⊕
22	22.1	24.36	21.8	W	3	☉
23	21.9	24.59	21.8	—	—	⊕
24	欠	欠	欠	欠	欠	欠
25	22.4	24.49	25.4	—	—	⊕
半 旬 平 均	21.6	24.55	22.7			
26	22.6	24.96	29.3	SW	2	⊕
27	23.2	24.43	26.0	—	—	⊕
28	24.4	24.57	26.1	—	—	○
29	23.9	26.57	26.4	—	—	⊕
30	24.2	24.38	27.2	—	—	☉
31	欠	欠	欠	欠	欠	欠
半 旬 平 均	23.7	24.98	27.0			
旬 平 均	22.7	24.79	25.1			
月 平 均	19.6	24.46	21.8			

昭和52年8月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		25.0	24.93	26.8	—	—	☉
2		24.8	24.70	24.3	—	—	☉
3		25.2	24.65	26.6	—	—	⊖
4		25.2	24.93	26.1	—	—	☉
5		24.2	21.96	21.9	—	—	●
半 旬 平 均		24.9	24.23	25.1			
6		23.9	23.63	22.8	—	—	☉
7		欠	欠	欠	欠	欠	欠
8		22.9	20.22	23.1	E	2	⊖
9		21.8	24.66	22.8	W	3	⊖
10		22.2	24.46	20.8	W	2	☉
半 旬 平 均		22.7	23.24	22.4			
旬 平 均		23.9	23.79	23.9			
11		23.0	24.34	23.1	W	1	⊖
12		23.1	23.95	23.9	E	3	○
13		22.5	24.49	22.7	—	—	⊖
14		欠	欠	欠	欠	欠	欠
15		23.0	24.49	22.0	NE	2	☉
半 旬 平 均		22.9	24.32	22.9			
16		21.8	24.39	21.9	E	3	●
17		21.8	24.31	21.9	N	1	●
18		22.3	21.80	21.5	SSW	1	☉
19		22.0	24.51	21.2	E	1	⊖
20		21.4	24.59	20.6	E	3	⊖
半 旬 平 均		21.9	23.92	21.4			
旬 平 均		22.3	24.10	22.1			
21		欠	欠	欠	欠	欠	欠
22		20.7	25.48	20.3	E	3	⊖
23		20.4	25.18	24.0	N	2	☉
24		20.3	25.30	18.8	E	3	☉
25		20.2	25.41	20.1	E	3	☉
半 旬 平 均		20.4	25.34	20.8			
26		19.9	24.96	20.8	E	2	☉
27		20.9	25.02	21.9	—	—	☉
28		欠	欠	欠	欠	欠	欠
29		21.3	25.00	23.0	—	—	☉
30		22.2	24.74	21.9	E	1	⊖
31		21.8	24.87	22.4	E	1	⊖
半 旬 平 均		21.2	24.92	22.0			
旬 平 均		20.9	25.11	21.5			
月 平 均		22.4	23.43	22.5			

昭和52年9月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		21.6	24.97	22.7	SW	1	○
2		22.7	24.57	22.8	—	—	⊙
3		21.8	24.79	22.2	—	—	⊙
4		欠	欠	欠	欠	欠	欠
5		22.1	24.66	22.2	N	1	⊙
半 旬 平 均		22.1	24.75	22.5			
6		22.1	24.65	22.3	—	—	⊙
7		22.5	24.56	21.6	—	—	●
8		22.2	24.66	19.0	—	—	●
9		21.1	25.12	19.2	N	4	●
10		21.1	25.17	21.6	E	1	⊙
半 旬 平 均		21.8	24.84	20.7			
旬 平 均		21.9	24.80	21.5			
11		欠	欠	欠	欠	欠	欠
12		22.3	22.11	22.4	—	—	⊙
13		21.6	20.82	19.5	W	3	⊙
14		21.4	23.68	18.3	SW	1	⊙
15		欠	欠	欠	欠	欠	欠
半 旬 平 均		21.8	22.20	20.1			
16		20.6	24.12	18.6	W	1	○
17		20.4	24.52	19.8	NE	1	○
18		欠	欠	欠	欠	欠	欠
19		20.7	24.51	21.1	E	2	⊙
20		20.6	24.31	20.7	W	2	●
半 旬 平 均		20.6	24.37	20.1			
旬 平 均		21.1	23.47	20.1			
21		20.4	23.99	21.8	—	—	⊙
22		21.1	24.00	16.5	SW	3	⊙
23		欠	欠	欠	欠	欠	欠
24		19.6	24.30	20.4	W	5	⊙
25		欠	欠	欠	欠	欠	欠
半 旬 平 均		20.4	24.10	19.6			
26		20.0	24.76	17.8	E	1	⊙
27		19.8	24.47	16.6	—	—	⊙
28		19.3	25.04	20.1	W	2	⊙
29		19.4	24.64	17.4	W	1	⊙
30		20.1	25.06	20.1	W	1	⊙
半 旬 平 均		19.7	24.79	18.4			
旬 平 均		20.0	24.53	18.8			
月 平 均		21.0	24.31	20.2			

昭和52年10月

日	項 水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
				向	力	
1	19.9	24.50	19.1	E	1	⊙
2	欠	欠	欠	欠	欠	欠
3	19.2	24.83	15.7	W	1	⊙
4	19.1	24.70	17.4	W	1	⊙
5	19.4	25.10	17.0	W	1	○
半 旬 平 均	19.4	24.78	17.3			
6	19.4	24.80	18.8	W	2	⊙
7	18.4	24.81	14.9	W	3	⊙
8	18.4	24.65	15.1	ESE	4	⊙
9	欠	欠	欠	欠	欠	欠
10	欠	欠	欠	欠	欠	欠
半 旬 平 均	18.7	24.75	16.3			
旬 平 均	19.1	24.77	16.9			
11	18.2	24.81	13.9	W	2	⊙
12	17.7	24.64	12.9	W	1	⊙
13	18.1	24.99	16.1	W	1	⊙
14	18.2	25.08	14.6	—	—	○
15	18.4	25.06	15.4	—	—	⊙
半 旬 平 均	18.1	24.92	14.6			
16	欠	欠	欠	欠	欠	欠
17	17.2	24.78	16.4	NW	5	⊙
18	16.9	24.66	15.6	W	3	⊙
19	16.9	24.60	11.9	W	3	⊙
20	17.3	25.65	12.2	SE	1	⊙
半 旬 平 均	17.1	24.92	14.0			
旬 平 均	17.7	24.92	14.3			
21	17.1	25.07	13.4	W	2	⊙
22	17.2	24.82	18.5	W	3	⊙
23	欠	欠	欠	欠	欠	欠
24	17.4	24.76	17.0	W	2	⊙
25	17.1	24.74	13.8	E	3	⊙
半 旬 平 均	17.2	24.85	15.7			
26	17.1	24.78	16.1	E	3	⊙
27	16.5	24.81	12.7	W	3	⊙
28	16.5	24.85	12.4	W	1	⊙
29	16.4	24.62	12.8	E	1	⊙
30	欠	欠	欠	欠	欠	欠
31	16.9	25.07	20.9	N	5	⊙
半 旬 平 均	16.7	24.83	15.0			
旬 平 均	16.9	24.84	15.3			
月 平 均	17.8	24.85	15.4			

昭和52年11月

日	項 水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
				向	力	
1	16.3	24.85	14.6	W	1	●
2	16.5	24.75	11.4	W	1	⊙
3	欠	欠	欠	欠	欠	欠
4	15.1	24.32	10.4	E	1	⊙
5	16.4	24.69	11.3	SW	1	⊙
半 旬 平 均	16.1	24.65	11.9			
6	欠	欠	欠	欠	欠	欠
7	15.9	24.74	11.1	E	1	⊙
8	15.6	24.78	9.4	N	2	●
9	16.0	24.46	9.3	W	2	⊙
10	14.9	24.00	8.4	W	3	⊙
半 旬 平 均	15.6	24.50	9.6			
旬 平 均	15.8	24.57	10.7			
11	13.4	23.74	12.4	W	2	⊙
12	13.0	24.20	4.6	W	3	⊙
13	欠	欠	欠	欠	欠	欠
14	12.6	24.21	10.7	W	3	⊙
15	12.6	24.35	10.1			○
半 旬 平 均	12.9	24.13	9.5			
16	12.7	24.05	11.1	W	1	⊙
17	13.1	24.40	10.6	SE	3	●
18	13.5	24.28	10.1	E	1	⊙
19	13.5	23.93	11.2	E	1	●
20	欠	欠	欠	欠	欠	欠
半 旬 平 均	13.2	24.18	10.8			
旬 平 均	13.1	24.15	10.1			
21	13.7	24.50	10.9	SW	1	⊙
22	13.6	24.30	13.1	W	4	⊙
23	欠	欠	欠	欠	欠	欠
24	12.0	23.89	16.5	W	2	⊙
25	12.3	23.81	10.5	W	1	⊙
半 旬 平 均	12.9	24.13	12.8			
26	12.2	23.92	10.7	E	3	⊙
27	欠	欠	欠	欠	欠	欠
28	13.8	24.75	12.7	NNW	3	⊙
29	12.3	23.93	8.6	—	—	○
30	12.6	24.47	7.6	SW	5	⊙
半 旬 平 均	12.7	24.28	9.9			
旬 平 均	12.8	24.20	11.3			
月 平 均	13.9	24.31	10.7			

昭和52年12月

日	項	水 温 (°C)	比 重 (σ_{15})	氣 温 (°C)	風		天 氣
					向	力	
1		11.5	23.97	3.6	W	1	☉
2		10.3	23.92	2.5	NE	2	⊗
3		11.9	24.25	2.0	N	2	☉
4		欠	欠	欠	欠	欠	欠
5		10.1	24.05	6.9	—	—	☉
半 旬 平 均		11.0	24.05	3.8			
6		10.8	23.82	2.8	W	2	⊗
7		9.7	24.10	5.6	SE	3	○
8		9.4	23.65	3.7	—	—	●
9		10.8	24.42	3.4	E	1	●
10		11.6	24.63	5.2	—	—	⊕
半 旬 平 均		10.5	24.12	4.1			
旬 平 均		10.7	24.09	4.0			
11		欠	欠	欠	欠	欠	欠
12		7.7	20.46	5.4	W	2	⊕
13		9.0	23.44	5.8	—	—	☉
14		10.7	24.35	7.4	—	—	⊕
15		10.1	23.85	8.1	W	2	☉
半 旬 平 均		9.4	23.03	6.7			
16		9.5	23.51	7.6	—	—	●
17		10.9	23.46	13.1	W	6	●
18		欠	欠	欠	欠	欠	欠
19		9.7	23.46	-0.5	SW	2	⊗
20		8.8	23.34	-0.6	N	3	⊗
半 旬 平 均		9.7	23.44	4.9			
旬 平 均		9.6	23.23	5.8			
21		8.8	24.39	-4.7	N	4	⊗
22		8.1	24.22	-2.4	W	2	⊕
23		7.4	24.09	1.0	—	—	☉
24		7.3	23.61	2.6	—	—	☉
25		欠	欠	欠	欠	欠	欠
半 旬 平 均		7.9	24.08	-0.9			
26		8.3	24.60	-2.1	E	3	⊕
27		7.4	24.44	-2.1	SW	2	⊗
28		7.1	24.63	-1.9	W	2	⊕
29		欠	欠	欠	欠	欠	欠
30		欠	欠	欠	欠	欠	欠
半 旬 平 均		7.6	24.56	-2.0			
旬 平 均		7.8	24.28	-1.4			
月 平 均		9.5	23.86	3.0			

茂浦表面水温平年値（昭和 43 年～昭和 52 年の平均値）

月 日	1	2	3	4	5	6	7	8	9	10	11	12
1	6.6	4.7	4.8	6.2	10.0	13.7	17.8	23.5	22.3	19.8	15.0	10.2
2	6.5	4.5	4.4	6.3	10.0	13.6	17.3	23.7	22.6	19.7	14.8	9.9
3	6.1	4.2	4.2	6.5	10.3	13.8	17.5	23.5	22.5	19.6	15.3	10.2
4	5.9	4.0	4.1	6.5	9.4	13.8	17.8	23.7	22.8	19.6	15.2	9.6
5	5.8	4.7	4.8	6.7	10.4	14.2	17.5	24.0	22.8	19.4	15.1	9.3
半旬平均	6.13	4.42	4.44	6.43	9.95	13.81	17.59	23.68	22.59	19.63	15.08	9.87
6	5.6	5.0	4.8	6.7	10.6	14.8	17.5	23.8	22.5	19.4	14.5	9.3
7	5.8	5.0	4.2	7.0	10.5	15.1	17.6	23.6	21.9	18.9	14.7	9.3
8	5.7	4.6	4.6	7.0	10.5	15.2	17.8	24.0	22.4	18.9	14.4	9.2
9	6.4	4.3	4.5	7.3	11.0	15.6	18.2	23.5	22.2	18.9	14.5	9.3
10	5.8	3.8	4.5	7.2	11.4	15.5	18.4	23.5	22.2	18.9	14.7	8.8
半旬平均	5.85	4.55	4.53	7.04	10.79	15.22	17.92	23.65	22.23	19.03	14.55	9.19
旬平均	5.97	4.48	4.48	6.73	10.41	14.51	17.76	23.66	22.41	19.34	14.81	9.52
11	6.0	4.2	4.5	7.5	11.6	15.6	18.3	23.5	21.7	18.1	13.7	8.5
12	6.3	4.4	4.4	7.3	12.3	15.5	18.1	23.5	21.8	18.0	13.2	8.8
13	5.3	4.9	4.6	7.5	12.0	15.7	18.5	23.3	21.8	18.1	13.3	8.7
14	5.7	4.8	4.7	7.8	12.0	15.7	18.6	23.3	21.4	18.0	13.1	8.4
15	5.7	4.4	4.8	8.0	12.2	15.9	19.1	23.8	21.6	18.0	13.0	8.5
半旬平均	5.80	4.55	4.60	7.63	12.00	15.67	18.51	23.49	21.67	18.04	13.28	8.58
16	5.3	4.5	4.8	8.3	12.4	15.1	19.7	23.4	21.7	17.8	12.6	8.1
17	5.3	4.8	5.1	8.5	12.1	15.9	20.4	23.0	21.5	17.4	13.1	8.6
18	5.3	4.7	5.3	8.5	12.0	15.3	20.3	23.3	21.4	17.3	12.5	7.9
19	5.7	5.0	5.0	8.6	12.0	16.2	20.0	23.3	21.5	17.2	12.7	8.2
20	5.5	5.7	5.1	7.9	12.0	16.0	20.0	23.3	21.3	17.7	12.4	7.3
半旬平均	5.43	4.92	5.07	8.46	12.10	15.71	20.08	23.26	21.46	17.46	12.64	8.01
旬平均	5.61	4.74	4.83	8.00	12.05	15.69	19.29	23.37	21.56	17.76	12.96	8.29
21	5.4	5.0	5.7	8.8	12.0	15.9	20.3	23.2	21.0	17.4	12.5	7.3
22	5.3	4.5	5.3	8.5	12.2	15.9	20.6	23.6	21.2	17.0	12.2	7.2
23	5.8	4.7	5.2	8.5	12.3	16.1	20.9	23.3	21.3	17.2	11.6	7.0
24	5.1	4.4	5.5	8.8	12.4	16.5	20.7	22.6	20.8	16.7	11.7	6.7
25	5.5	4.2	5.2	8.3	12.7	16.9	21.6	22.8	20.8	16.6	11.6	6.8
半旬平均	5.42	4.54	5.37	8.59	12.32	16.29	20.8	23.12	21.01	16.98	11.92	6.97
26	5.4	4.3	5.4	9.3	12.9	17.7	21.5	23.1	20.6	16.4	11.0	7.0
27	5.3	4.8	6.1	9.5	13.1	17.8	22.2	23.1	20.4	16.1	10.9	6.5
28	5.3	4.7	6.1	9.9	13.4	17.7	23.2	23.4	20.1	16.0	11.6	6.5
29	5.1	4.8	6.3	9.5	13.4	17.3	23.3	22.9	20.0	15.7	10.9	6.9
30	5.4		6.4	9.7	13.7	17.3	23.4	22.7	20.1	15.8	9.7	6.8
31	5.0		6.0		13.4		23.1	22.2		15.8		6.5
半旬平均	5.24	4.61	6.03	9.58	13.32	17.54	22.78	22.88	20.23	15.96	10.85	6.69
旬平均	5.32	4.57	5.75	9.07	12.87	16.90	21.89	22.98	20.61	16.43	11.37	6.83
月平均	5.61	4.60	5.02	7.91	11.85	15.70	19.72	23.33	21.53	17.78	13.04	8.22

年平均 13.00

（半旬平均、旬平均、月平均、年平均は各年度の観測値から直接算出された値）