

海 洋 観 測

永 峰 文 洋・遠 島 久 美 子

昭和 48 年 1 月

〔茂浦定置観測表〕

日	項 水 温 (°C)	比 重 (δ_{15})	氣 温 (°C)	風		天 氣
				向	力	
1	欠	欠	欠	欠	欠	欠
2	8.1	23.94	5.9	E	1	●
3	欠	欠	欠	欠	欠	欠
4	5.6	24.10	-3.0	E	2	*
5	5.5	24.47	0.9	W	3	*
半旬平均	6.4	24.17	1.3			
6	5.6	24.29	1.6	N	2	◎
7	5.6	23.71	3.5	S	1	◎
8	8.3	24.56	5.4	E	3	●
9	8.9	25.03	5.4	W	1	◎
10	7.8	23.52	2.6	E	3	◎
半旬平均	7.2	24.22	3.7			
旬 平 均	6.9	24.20	2.8			
11	8.0	24.32	3.3	S W	4	⊙
12	8.8	24.13	2.1	E	欠	⊙
13	8.2	24.94	0.1	W	3	*
14	7.2	23.94	0.8	W	1	◎
15	6.1	24.04	3.0	W	1	◎
半旬平均	7.7	24.27	1.9			
16	5.0	23.18	2.0	—	—	○
17	5.2	22.90	2.2	—	—	○
18	6.4	23.97	6.0	E	2	◎
19	8.8	25.21	3.2	E	2	⊙
20	8.5	24.98	3.0	W	4	⊙
半旬平均	6.8	24.05	3.3			
旬 平 均	7.2	24.16	2.6			
21	7.4	24.25	2.0	W	4	◎
22	5.4	22.53	1.3	S W	1	◎
23	6.7	24.77	1.0	S W	1	⊙
24	7.3	22.88	4.5	—	—	○
25	7.8	23.91	7.3	E	3	◎
半旬平均	6.9	23.67	3.2			
26	7.0	23.34	1.6	E	3	◎
27	7.1	23.35	0.0	E	1	*
28	7.8	24.40	-2.0	S E	2	*
29	6.1	23.75	-0.5	S E	4	*
30	5.9	23.73	1.2	—	—	*
31	6.1	24.53	1.9	S W	4	⊙
半旬平均	6.7	23.85	0.4			
旬 平 均	6.9	23.77	1.7			
月 平 均	7.0	24.02	2.3			

青水増事業概要 第4号 (1975)

昭和48年2月

日	項 水 温 (°C)	比 重 (δ_{15})	氣 温 (°C)	風		天 氣
				向	力	
1	6.3	24.69	3.0	N	2	*
2	4.1	24.60	-3.6	N	4	*
3	4.7	23.77	-0.4	S W	1	*
4	4.7	23.59	0.3	W	2	☉
5	5.4	23.65	2.2	S W	1	☉
半旬平均	5.0	24.06	0.3			
6	5.5	23.87	2.7	E	1	●
7	5.1	23.58	-2.9	S W	5	*
8	4.5	23.58	-1.7	N	2	*
9	4.2	23.54	-4.1	S W	2	*
10	4.0	23.54	-2.5	S W	2	*
半旬平均	4.7	23.62	-1.7			
旬 平 均	4.9	23.84	-0.7			
11	3.9	24.53	1.1	W	3	*
12	4.1	24.05	-0.7	S W	2	☉
13	4.1	24.05	1.9	S W	1	⊖
14	4.3	23.58	3.0	W	1	●
15	4.1	23.58	3.7	W	1	⊖
半旬平均	4.1	23.96	1.8			
16	5.4	23.71	6.9	S	2	⊖
17	5.6	24.70	4.8	—	—	○
18	5.6	21.78	5.5	—	—	●
19	5.5	22.22	3.0	W	1	⊖
20	5.9	24.09	3.4	S W	1	●
半旬平均	5.6	23.30	4.7			
旬 平 均	4.9	23.63	3.3			
21	5.3	23.16	-2.4	N	3	*
22	4.0	21.66	3.5	E	2	☉
23	5.8	23.25	6.2	N	3	⊖
24	4.1	23.61	-1.7	S	2	☉
25	4.9	23.11	-3.6	W	4	*
半旬平均	4.8	22.96	0.4			
26	3.8	25.28	-0.3	S W	2	*
27	4.2	25.53	4.6	S W	3	⊖
28	4.8	25.46	4.4	S W	4	⊖
半旬平均	4.3	25.42	2.9			
旬 平 均	4.6	23.88	1.3			
月 平 均	4.8	23.71	1.3			

青水増事業概要 第4号 (1975)

昭和48年3月

日	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	4.1	25.47	-4.3	N	2	*
2	4.2	25.48	0.3	SW	2	⊙
3	4.1	25.49	-0.4	W	3	*
4	3.6	24.53	1.5	W	2	⊙
5	4.2	25.51	-2.0	W	2	*
半旬平均	4.0	25.30	-1.0			
6	3.7	24.98	-1.9	N	2	*
7	3.9	25.48	2.3	SW	3	⊙
8	3.9	25.02	2.5	W	3	⊙
9	3.9	26.37	2.1	W	1	⊙
10	3.9	25.29	-0.6	SW	3	*
半旬平均	3.9	25.43	0.9			
旬平均	4.0	25.36	-0.1			
11	4.5	26.34	2.0	SW	1	⊙
12	3.8	24.52	2.3	E	1	⊙
13	3.9	25.58	5.0	E	1	●
14	4.1	25.52	3.4	SW	1	⊙
15	4.9	25.96	0.2	NE	1	○
半旬平均	4.2	25.58	2.6			
16	4.5	24.97	2.0	E	1	⊙
17	5.0	25.59	2.7	SW	1	⊙
18	5.0	25.59	0.8	S	2	⊙
19	4.1	24.55	0.4	S	1	*
20	4.8	24.13	2.0	W	2	⊙
半旬平均	4.7	24.97	1.6			
旬平均	4.5	25.28	2.1			
21	5.4	24.27	2.1	NW	1	*
22	5.8	25.52	3.5	SW	1	⊙
23	5.3	24.65	4.3	SE	1	⊙
24	6.6	25.69	3.8	SW	5	⊙
25	5.6	24.67	1.5	WNW	欠	⊙
半旬平均	5.7	24.96	3.0			
26	5.6	25.57	1.1	SW	1	⊙
27	5.5	25.51	0.0	W	3	*
28	5.9	25.27	4.5	E	2	⊙
29	6.8	25.72	4.5	E	2	⊙
30	7.2	25.63	0.7	SW	3	○
31	7.4	24.95	5.5	SW	1	⊙
半旬平均	6.4	25.44	2.7			
旬平均	6.1	25.22	2.9			
月平均	4.9	25.28	1.7			

青水増事業概要 第4号 (1975)

昭和48年4月

日	項 水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	7.4	25.06	7.6	—	—	⊙
2	7.3	24.84	8.1	W	3	⊙
3	7.5	24.42	7.2	SW	1	○
4	6.8	24.77	7.0	—	—	⊙
5	7.1	24.37	7.7	N	2	⊙
半旬平均	7.2	24.69	7.5			
6	7.0	24.33	7.4	W	2	⊙
7	7.4	24.34	6.9	—	—	⊙
8	8.5	24.10	11.0	—	—	⊙
9	9.0	25.88	8.7	SW	1	⊙
10	7.8	25.48	10.2	E	2	⊙
半旬平均	7.9	24.83	8.8			
旬平均	7.6	24.76	8.2			
11	9.0	22.16	10.8	—	—	⊙
12	8.0	23.93	6.0	E	2	●
13	8.1	22.44	8.8	SW	3	⊙
14	8.1	23.03	10.1	SW	2	○
15	8.7	23.19	9.8	SW	1	○
半旬平均	8.4	22.95	9.1			
16	8.2	24.98	9.8	E	3	⊙
17	8.4	26.03	9.8	—	—	●
18	8.8	22.97	10.5	SW	2	⊙
19	9.5	24.22	12.3	SW	1	○
20	9.0	22.87	15.5	SW	5	○
半旬平均	8.8	24.21	11.6			
旬平均	8.6	23.58	10.3			
21	10.5	24.33	15.0	—	—	○
22	10.0	16.30	12.4	SE	2	●
23	10.1	22.82	14.7	SW	2	⊙
24	9.2	24.80	10.2	E	2	⊙
25	8.1	25.92	8.5	E	2	⊙
半旬平均	9.6	22.83	12.2			
26	8.9	25.07	9.8	N	1	●
27	9.1	22.58	7.9	SW	2	⊙
28	9.6	22.22	11.7	S	4	○
29	9.8	23.41	12.7	S	2	●
30	9.2	24.19	9.7	—	—	⊙
半旬平均	9.3	23.49	10.4			
旬平均	9.5	23.16	11.3			
月平均	8.5	23.84	9.9			

昭和48年5月

日	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	9.4	25.12	9.5	—	—	①
2	9.4	25.13	10.1	N	2	☉
3	9.1	25.05	9.6	—	—	○
4	9.6	24.08	11.2	S W	2	☉
5	10.1	24.76	14.3	S W	2	○
半旬平均	9.5	24.83	10.9			
6	10.8	23.90	12.7	S E	1	○
7	11.2	25.47	13.2	—	—	○
8	12.0	22.53	13.2	E	2	●
9	12.0	25.61	16.4	—	—	☉
10	12.1	26.47	13.7	S	1	①
半旬平均	11.6	24.80	13.8			
旬 平均	10.6	24.81	12.4			
11	12.1	22.53	12.4	S	1	○
12	12.2	22.61	15.3	S W	4	①
13	12.7	23.47	18.3	E	1	①
14	12.3	24.45	16.3	S	1	○
15	14.1	24.54	19.1	S W	2	○
半旬平均	12.7	23.52	16.3			
16	13.8	24.04	22.3	W	2	①
17	14.8	24.10	18.9	W	1	①
18	11.4	24.53	8.6	E	4	☉
19	11.7	24.73	16.9	N E	2	☉
20	12.0	23.95	17.8	N W	1	①
半旬平均	12.7	24.27	16.9			
旬 平均	12.7	23.90	16.6			
21	12.3	24.28	9.9	S W	1	☉
22	12.0	24.30	11.3	W	1	①
23	12.4	23.64	11.0	N	1	①
24	13.0	24.02	13.5	S W	2	○
25	13.5	23.79	16.0	S	1	○
半旬平均	12.6	24.01	12.3			
26	13.7	24.90	18.9	—	—	○
27	14.7	24.12	20.8	S W	1	○
28	15.6	23.64	19.2	S E	1	①
29	13.8	24.25	17.1	E	2	☉
30	14.9	23.44	15.7	S W	2	●
31	14.8	23.82	15.7	W	2	①
半旬平均	14.6	24.03	17.9			
旬 平均	13.7	24.02	15.4			
月 平均	12.4	24.23	14.8			

青水増事業概要 第4号 (1975)

昭和48年6月

日	項 水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	14.7	23.87	10.9	S	1	☉
2	14.7	23.75	13.4	SW	2	☉
3	14.7	23.96	13.7	NW	1	⊕
4	14.5	24.58	15.6	N	2	⊕
5	13.9	24.51	15.0	SW	1	○
半旬平均	14.5	24.13	13.7			
6	14.1	24.80	14.9	SW	1	⊕
7	14.1	24.14	16.1	E	2	☉
8	13.0	25.15	14.4	E	2	☉
9	12.4	24.87	14.8	E	1	☉
10	15.7	25.47	18.2	—	—	⊕
半旬平均	13.9	24.89	15.7			
旬平均	14.2	24.51	14.7			
11	15.5	24.71	16.2	E	2	○
12	12.0	24.05	13.5	E	2	☉
13	14.1	24.80	18.0	E	2	⊕
14	14.9	24.69	16.7	E	1	☉
15	17.2	24.31	18.1	SW	1	☉
半旬平均	14.7	24.51	16.5			
16	16.0	24.30	15.7	SW	1	☉
17	18.8	23.79	21.9	NW	1	⊕
18	18.7	24.26	21.1	SW	1	⊕
19	18.6	25.13	18.2	—	—	☉
20	18.7	24.04	18.4	SW	1	☉
半旬平均	18.2	24.30	19.1			
旬平均	16.5	24.41	17.8			
21	18.3	24.09	18.6	—	—	○
22	17.4	25.01	19.2	E	2	☉
23	16.3	24.24	18.2	E	3	☉
24	17.9	24.90	19.5	E	2	⊕
25	18.5	24.94	19.5	SW	1	☉
半旬平均	17.7	24.54	19.0			
26	19.0	24.70	19.5	W	1	☉
27	17.8	24.81	17.4	E	2	☉
28	17.8	24.88	20.2	E	2	○
29	17.2	24.95	18.0	E	2	☉
30	17.8	25.62	20.2	W	1	☉
半旬平均	17.9	24.99	19.1			
旬平均	17.8	24.81	19.0			
月平均	16.1	24.58	17.2			

青水増事業概要 第4号 (1975)

昭和 48 年 7 月

項 目	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	19.0	24.77	18.0	—	—	☉
2	20.0	24.32	19.6	E	2	☉
3	18.2	24.66	16.6	E	3	☉
4	18.1	24.98	17.6	—	—	☉
5	19.2	25.08	21.2	S W	2	☉
半旬平均	18.9	24.76	18.6			
6	20.6	24.76	22.6	S W	1	⊙
7	20.0	25.00	22.3	S W	1	⊙
8	20.6	24.36	22.6	W	2	⊙
9	20.8	25.05	19.5	S W	2	○
10	20.7	25.12	21.5	S W	2	⊙
半旬平均	20.5	24.86	21.7			
旬平均	19.7	24.81	20.2			
11	20.8	24.66	20.1	—	—	⊙
12	19.8	24.83	23.4	S W	1	○
13	21.1	25.15	22.7	S	1	☉
14	21.6	25.13	28.3	S	3	○
15	21.2	24.87	24.7	N W	3	⊙
半旬平均	20.9	24.93	23.8			
16	22.1	25.02	24.6	S W	1	○
17	22.2	25.13	26.4	S W	1	○
18	23.9	25.05	25.3	S W	1	⊙
19	21.0	25.10	20.7	E	3	⊙
20	20.7	25.30	23.3	E	2	⊙
半旬平均	22.0	25.12	24.1			
旬平均	21.4	25.02	24.0			
21	20.8	25.22	22.3	E	2	☉
22	18.9	24.85	18.1	E	4	☉
23	18.4	26.06	20.1	E	3	☉
24	18.8	26.11	18.9	S W	1	○
25	21.4	25.61	24.4	S W	1	⊙
半旬平均	19.7	25.57	20.8			
26	22.5	25.95	24.9	W	1	○
27	23.1	26.91	25.8	W	1	○
28	23.9	24.45	25.4	W	1	☉
29	23.5	26.91	25.9	S W	1	☉
30	23.6	25.75	24.5	—	—	☉
31	23.9	24.92	24.6	—	—	●
半旬平均	23.4	25.82	25.2			
旬平均	21.7	25.70	23.2			
月平均	21.0	25.20	22.5			

青水増事業概要 第4号 (1975)

昭和 48 年 8 月

項 目	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	24.0	24.26	26.1	—	—	☉
2	23.8	22.77	22.9	W	2	●
3	23.5	24.87	23.6	—	—	☉
4	23.7	24.47	26.0	W	1	①
5	24.9	22.96	24.9	—	—	☉
半旬平均	24.0	23.86	24.7			
6	25.1	27.00	27.7	W	1	☉
7	25.7	23.08	27.5	SW	2	○
8	26.6	24.52	28.1	SW	1	○
9	25.5	25.02	26.6	W	1	☉
10	25.2	25.09	26.1	SW	2	⊕
半旬平均	25.6	24.94	27.2			
旬平均	24.8	24.40	26.0			
11	25.8	24.14	27.6	SW	2	①
12	26.0	23.69	31.0	E	1	⊕
13	26.0	24.35	27.2	SW	1	①
14	25.5	25.02	25.5	W	1	☉
15	26.6	24.69	26.6	NW	1	①
半旬平均	26.0	24.38	27.6			
16	26.4	24.80	24.0	—	—	●
17	26.7	24.45	29.1	W	1	①
18	26.9	24.69	28.2	W	2	☉
19	26.3	24.61	25.3	NW	5	☉
20	26.0	24.97	25.3	SW	2	①
半旬平均	26.5	24.70	26.4			
旬平均	26.2	24.54	27.0			
21	25.5	24.95	24.4	W	1	☉
22	26.1	25.05	27.0	N	2	☉
23	25.6	25.03	23.8	SW	2	●
24	25.0	25.14	22.3	E	2	☉
25	24.9	25.41	25.4	E	1	①
半旬平均	25.4	25.12	24.6			
26	25.0	25.12	26.2	E	3	☉
27	24.6	25.13	25.2	—	—	☉
28	25.3	24.38	28.1	SW	2	①
29	25.1	24.11	23.3	E	1	☉
30	24.4	25.23	25.9	W	2	☉
31	24.1	24.53	22.0	E	1	欠
半旬平均	24.8	24.77	25.1			
旬平均	25.0	24.93	24.9			
月平均	25.4	24.63	25.9			

昭和 48 年 9 月

目	項	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
					向	力	
1		23.9	24.88	21.7	E	2	◎
2		24.2	24.10	22.5	S	2	◎
3		23.8	24.47	21.6	E	3	◎
4		23.8	24.11	22.6	S W	4	◎
5		22.9	24.34	19.1	E	3	◎
半旬平均		23.7	24.38	21.5			
6		23.2	24.89	19.3	E	2	◎
7		23.0	25.13	21.2	E	2	◎
8		23.0	25.05	20.7	E	2	◎
9		23.3	24.72	22.1	W	1	◎
10		23.5	24.77	22.5	E	2	◎
半旬平均		23.2	24.91	21.2			
旬平均		23.5	24.65	21.3			
11		23.0	25.52	22.2	W	3	◎
12		22.3	25.53	19.6	W	2	●
13		22.3	25.58	21.2	W	2	◎
14		22.6	25.35	21.0	E	1	◎
15		22.6	25.27	欠	欠	欠	欠
半旬平均		22.6	25.45	21.0			
16		22.4	25.25	23.2	S E	3	①
17		22.2	24.86	23.2	S W	3	①
18		22.0	24.94	21.8	S W	2	○
19		21.8	24.87	21.7	S W	2	○
20		21.8	24.84	20.5	W	1	①
半旬平均		22.0	24.95	22.1			
旬平均		22.3	25.20	21.6			
21		21.9	25.02	21.5	S W	1	①
22		21.8	25.02	20.8	E	3	◎
23		21.6	24.74	18.1	E	6	●
24		21.5	24.79	19.5	E	1	◎
25		21.5	24.41	19.5	W	1	◎
半旬平均		21.7	24.80	19.9			
26		21.8	24.51	20.6	S W	2	○
27		21.6	24.97	19.9	S W	3	◎
28		21.5	24.89	21.5	S W	3	①
29		20.6	23.63	20.2	W	1	○
30		21.5	24.95	21.6	E	2	◎
半旬平均		21.4	24.59	20.8			
旬平均		21.5	24.69	20.3			
月平均		22.4	24.85	21.1			

青水増事業概要 第4号 (1975)

昭和48年10月

目	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 氣
				向	力	
1	21.1	25.00	20.1	W	3	☉
2	20.8	24.56	18.0	SW	4	☉
3	20.4	24.40	14.6	S	1	●
4	20.5	24.47	17.4	SW	1	☉
5	19.8	24.31	15.8	N	1	○
半旬平均	20.5	24.55	17.2			
6	19.5	24.53	13.7	SW	1	☉
7	19.2	24.36	12.9	S	1	☉
8	19.1	24.45	14.7	SW	1	☉
9	19.2	24.51	15.7	SW	2	○
10	18.9	24.68	16.4	SW	2	○
半旬平均	19.2	24.51	14.7			
旬平均	19.9	24.53	15.9			
11	19.7	24.77	16.3	SW	1	①
12	19.7	24.36	16.6	SW	1	①
13	19.8	24.74	16.5	E	2	●
14	18.0	24.08	12.5	SW	1	☉
15	17.6	24.30	10.8	SW	3	①
半旬平均	19.0	24.45	14.5			
16	17.3	23.96	14.0	SW	2	☉
17	17.3	24.22	14.5	SW	1	○
18	18.2	24.39	14.0	SW	3	○
19	17.1	24.54	13.0	SW	3	●
20	18.8	24.82	16.3	SW	4	○
半旬平均	17.7	24.39	14.4			
旬平均	18.4	24.42	14.5			
21	17.8	24.53	18.0	SW	1	○
22	17.9	24.77	18.5	E	2	①
23	17.1	24.74	13.3	SW	5	●
24	16.4	24.20	14.3	W	3	☉
25	17.1	24.40	14.5	W	2	☉
半旬平均	17.3	24.53	15.7			
26	16.5	24.56	12.5	W	2	☉
27	15.8	23.58	12.5	S	1	☉
28	15.6	23.80	12.6	SW	2	●
29	16.4	24.66	11.0	W	4	☉
30	16.2	24.16	13.8	W	3	○
31	16.3	24.22	15.0	W	2	☉
半旬平均	16.1	24.16	12.9			
旬平均	16.7	24.33	14.2			
月平均	18.2	24.42	14.8			

昭和 48 年 11 月

項 目	水 温 (°C)	比 重 (δ_{15})	気 温 (°C)	風		天 気
				向	力	
1	15.3	24.31	9.9	W S W	1	☉
2	15.1	24.04	10.2	E	1	⊖
3	15.5	24.13	10.5	W	2	○
4	14.7	23.15	14.8	S	3	⊖
5	14.8	24.22	9.7	S	1	☉
半旬平均	15.1	23.97	11.0			
6	14.9	24.63	9.4	W	2	☉
7	14.8	24.38	欠	W	1	☉
8	14.3	24.71	13.1	W	3	○
9	15.1	24.49	13.3	—	—	☉
10	15.6	24.34	19.4	S E	1	☉
半旬平均	14.9	24.51	13.8			
旬 平均	15.0	24.24	10.2			
11	14.8	24.00	9.0	N	4	●
12	13.9	24.35	7.0	W	4	☉
13	13.2	24.30	6.9	W	2	●
14	12.5	24.21	9.8	W	2	☉
15	13.6	24.25	9.6	W	2	☉
半旬平均	13.6	24.22	8.5			
16	13.5	24.30	13.1	W	3	☉
17	13.4	24.27	10.1	S	1	☉
18	11.8	24.12	4.3	S	7	●
19	12.5	24.19	3.0	S	4	*
20	11.1	24.05	欠	N	2	*
半旬平均	12.5	24.19	6.1			
旬 平均	13.0	24.20	8.1			
21	10.6	23.70	3.8	W	2	☉
22	10.9	24.00	4.4	W	2	⊖
23	10.5	23.88	2.4	N W	3	⊖
24	10.3	23.85	8.4	W	2	○
25	11.2	23.57	2.4	W	4	*
半旬平均	10.7	23.80	4.3			
26	9.0	23.53	3.0	N	2	*
27	9.7	23.05	9.8	W	2	●
28	10.3	23.58	— 0.5	N W	2	*
29	9.4	23.44	2.0	W	2	*
30	9.5	22.90	5.8	W	2	●
半旬平均	9.6	23.30	4.0			
旬 平均	10.1	23.55	4.2			
月 平均	12.7	24.00	7.7			

青水増事業概要 第4号 (1975)

昭和 48 年 12 月

目	水 温 (°C)	比 重 (δ_{15})	気 温	風		天 気
				向	力	
1	10.4	23.86	2.4	W	4	*
2	9.3	23.95	8.1	W	5	●
3	9.2	22.46	6.7	N	1	●
4	9.0	23.72	-2.2	S	4	*
5	7.0	23.19	-1.5	N	4	*
半旬平均	9.0	23.44	2.7			
6	8.5	23.46	2.3	W	3	◎
7	8.6	23.61	-3.3	S	4	*
8	7.3	23.24	-1.6	W	3	*
9	7.2	23.76	1.2	W	3	Ⓜ
10	7.6	23.76	-0.1	W	2	*
半旬平均	7.8	23.57	-0.3			
旬 平 均	8.4	23.50	1.2			
11	6.8	23.86	-1.6	W	2	◎
12	7.9	23.84	2.3	E	1	①
13	7.8	23.98	-2.0	N	2	◎
14	7.0	24.04	4.0	W	2	◎
15	7.5	23.99	4.0	W	1	◎
半旬平均	7.4	23.94	1.3			
16	6.4	23.86	2.3	SE	1	△
17	7.3	23.74	-2.9	W	5	*
18	6.7	23.93	3.0	W	3	◎
19	6.2	23.89	0.0	S	1	*
20	6.4	23.93	4.7	NNW	1	○
半旬平均	6.6	23.87	1.4			
旬 平 均	7.0	23.91	1.4			
21	5.5	23.39	3.4	E	1	●
22	6.5	23.05	0.6	W	2	*
23	4.2	23.60	-2.5	NE	3	*
24	4.9	23.60	-3.0	S	2	◎
25	6.6	23.71	2.3	N	2	◎
半旬平均	5.5	23.47	0.2			
26	6.4	24.10	1.4	S	3	◎
27	6.3	24.11	4.3	W	2	◎
28	6.6	23.55	3.4	S	2	欠
29	6.1	23.04	3.6	S	2	*
30	6.0	23.98	2.8	W	3	①
31	6.1	23.88	2.1	WNW	3	○
半旬平均	6.3	23.78	2.9			
旬 平 均	5.9	23.64	1.7			
月 平 均	7.1	23.70	1.4			